

# clarion



# Clarion

Human Music Interface  
Media Clarion HMI

## A dream comes true

Clarion H.M.I. is both dream and reality. A dream, in the sense that it is an ideal that we will always strive for. A reality, since it is already present in its most up-to-date form in our products. Interfacing people with music and information in mobile environments. Futuristic technology for people living in the real world. That's the Clarion H.M.I. concept.



ITALDESIGN-GIUGIARO "VAD.HO", the Clarion H.M.I. concept car created by Italian designer GIUGIARO, one of the world's top industrial design firms.

Jamiroquai

Jay Kay (Jamiroquai) "Jay Kay", vocalist for the world-famous jazz funk band Jamiroquai.




## MAX686BT

2-DIN DVD MULTIMEDIA STATION WITH 7" TOUCH PANEL CONTROL, USB AND BUILT-IN BLUETOOTH



\*VRX786BT/MAX686BT is compatible with MP3/WMA/AAC/DivX on DVD±R/DVD±RW/CD-R/RW media formats. Maximum track capacity: 999 tracks (255 folders with max. 255 tracks per folder) \*VRX786BT/MAX686BT is compatible with MP3/WMA/AAC on USB. Maximum track capacity: 130,500 tracks (512 folders with max. 255 tracks per folder) \*The units of iPod video compatible are not playable the PLAY LIST that is mixed music files and movie files.



## VRX786BT


DVD MULTIMEDIA STATION WITH 7" TOUCH PANEL CONTROL, USB AND BUILT-IN BLUETOOTH



• DVD-Video/DVD±R/DVD±RW/CD-DA/CD-R/RW ready • MP3/WMA/AAC Compatible • Official DivX® Certified product • Plays all versions of DivX® video (including DivX® 6) with standard playback of DivX® media files • 18 FM, 6 AM station presets • Rear USB connector • WMDRM 10 playback for Digital Media Streaming (rear USB) • Fully motorized 7-inch QVGA colour LCD monitor (VRX786BT) • Motorised sloping control panel with 7-inch QVGA colour LCD monitor (MAX686BT) • Built-in Bluetooth® Handsfree (HFP & OPP) and Audio Streaming (A2DP & AVRCP) • iPod® direct control via USB • 3-band parametric equaliser • MAGNA BASS EX dynamic bass enhancement • Built-in LPF/HPF • Subwoofer volume control • 24-bit D/A converter • 6 ch audio pre-out • 2-Zone entertainment • 1 AUX AV input • 4-channel x 50 watts MOS-FET amplification • OEM Steering Wheel remote interface capability

\* To connect iPod, please use the USB cable attached to iPod. \* For video playback, optional CCA723 cable required \* Please see the Clarion website for iPod models that can be connected

Handsfree communication and wireless music playback thanks to Bluetooth® technology



Direct USB iPod® control



## VRX586USB

DVD MULTIMEDIA STATION WITH 7" TOUCH PANEL CONTROL



• DVD±R/DVD±RW ready • CD-R/RW ready • MP3 and WMA and iTunes® AAC (only USB) compatible • Official DivX® Certified product • Plays all versions of DivX® video (including DivX® 6) with standard playback of DivX® media files • Rear USB connector • 18 FM, 12 AM station presets • iPod direct connection and control (optional cable CCA691) • Shock proof memory • 24-bit D/A converter • Subwoofer volume control • 2-Zone entertainment • Z-Enhancer Plus • 2-band parametric equaliser • MAGNA BASS EX dynamic bass enhancement • Built-in High pass filter & Low pass filter • Built-in amplifier canceller • 4-channel x 50 watts MOS-FET amplification • Fully motorised 7-inch TFT colour LCD monitor (VRX586USB) • Motorized sloping control panel with 3.5-inch TFT colour LCD monitor (VRX386USB) • Touch panel control (VRX586USB) • Adjustable display brightness • Phone mute • 1 AUX AV input • 6-channel audio pre-out • AUX Bluetooth audio/mobile-phone transceiver BLT370 ready • OEM steering wheel remote interface capability • CCD camera input via video line-in with reverse gear connection



## Multimedia station

Clarion knows connectivity and so do the VRX586USB and VRX386USB. They are equipped with a USB slot for easy access to your music collection, an OEM Steering Wheel control interface input and a rear view camera input. Combine this with MP3/WMA and iTunes® AAC file format decoding, iPod® audio and video connectivity and 2-Zone entertainment. Clarion offers everything you ever wanted. All Clarion in-dash multimedia products also offer seamless connection to our full range of rearview CCD camera systems. Simply shifting your vehicle into reverse automatically starts the on-screen image display.



## VRX386USB

DVD MULTIMEDIA STATION WITH 3.5" MONITOR





**VRX486VD**

DVD MULTIMEDIA STATION WITH 7-INCH TOUCH PANEL CONTROL



- DVD-Video/DVD±R/DVD±RW/CD-DA/CD-R/RW ready • MP3/WMA Compatible with ID3-TAG display • 18 FM, 6 AM station presets • Seek manual up/down • Fully motorised 7-inch QVGA colour LCD monitor • Adjustable display brightness • Tilt angle 5 Positions Display • Touch Panel Control • 24-bit D/A converter • RCA visual input • 6ch RCA output • 4-channel x 40 watts built-in amplifier • iPod® audio control (optional cable CCUiPod) • Built-in IR eye and remote included



**MAX386VD**

2-DIN DVD MULTIMEDIA STATION WITH 6.5-INCH TOUCH PANEL CONTROL




- DVD-Video/DVD±R/DVD±RW/CD-R/RW Ready • MP3/WMA Compatible with ID3-TAG display • 18 FM, 6 AM station presets • 6.5-inch QVGA colour LCD monitor • Touch panel control • Phone mute • 24-bit D/A converter • 6 ch RCA output (front + rear + subwoofer) • 4-channel x 40 watts built-in amplifier • Rotary volume control • iPod® audio control (optional cable CCUiPod) • Built-in IR eye and remote included • Rear audio and visual input • Rear AV output



**VB476**

DVD/CD/VCD/MP3/WMA RECEIVER



- MP3/WMA compatible • DVD±R/DVD±RW/CD-R/CD-RW ready • 18 FM, 12 AM station presets • 24-bit D/A converter • 6-channel audio pre-out with subwoofer volume control • 4-channel x 45 watts of amplification • DVD video and audio/video CD compatible • Flip-down console • 2 video line-outs • 2-channel auxiliary input • Remote control included • Detachable control panel



**VS755**

DVD/CD/VCD/MP3 PLAYER



- DVD±R/ DVD±RW Ready • NTSC/PAL Formatted DVD Compatible • CD-R/RW and JPEG Image Disc Ready • MP3 Compatible with ID3 TAG • On-screen Display • 2 Audio/Video Inputs (Includes Front Panel A/V Input) • Plug-in Infrared Remote Receiver • Infrared Remote Control • Parental Level Settings



**SRK604**

CENTRE SPEAKER SYSTEM WITH POWER AMPLIFIER



**DVH940**

DOLBY DIGITAL/dts CeNET PROCESSOR



**TTX754 PAL**

CeNET TV TUNER



**OHM1575VD**

15" OVERHEAD ENTERTAINMENT DIGITAL MONITOR



**OHM107VD**

10.2" OVERHEAD ENTERTAINMENT DIGITAL MONITOR



**OHM875VD**

8" OVERHEAD ENTERTAINMENT DIGITAL MONITOR

**OHM Series Monitor Features**

- Universal Slim Profile • MPEG 1/2/4, MP3 and WMA playback • Adjustable Display Modes: Wide/Normal • Infrared Remote control with On Screen Display • 2 Audio/Video Inputs for external devices • 1 Audio/Video Output for multiple monitor applications • Built-in LED Dome lights • Includes 2 Headphones

**With Clarion multimedia loaded in your vehicle, your back seat might become your home away from home.**

"Are we there yet?" That sentence is now extinct thanks to Clarion's rear seat entertainment systems. Featuring a line-up of overhead monitors ranging from 8-inch to 15-inch which include a built in DVD player and wireless headphone transmitters as well as a selection of 5-inch & 7-inch headrest monitors - now peace of mind is only a press of a button away. Our TFT active matrix LCD monitors reproduce vivid colors and provide crisp clear viewing of your favorite DVD. Now the problem will be getting your kids out of the car when you reach your destination.



**VMA7196**

7" / 16:9 HEADREST/STAND-ALONE MONITOR

- 16:9/4:3 Adjustable Screen Format • On-screen Display • 2 AV Inputs • Built-in Dual IR Output for Headphone (Optional IRH602A) • Built-in Receiver for compatible Devices • Easy-fit Universal Mounting Bracket Included • Supports NTSC and PAL



**VMA5096**

5.6" / 16:9 HEADREST/STAND-ALONE MONITOR



**VMA773**

7" / 16:9 HEADREST/STAND-ALONE MONITOR

- 16:9/4:3 Adjustable Screen Format • On-screen Display • 2 AV Inputs • Built-in Dual IR Output for Headphone (Optional IRH602A) • Built-in Receiver for compatible Devices • Easy-fit Universal Mounting Bracket Included • Supports NTSC and PAL



**VMA573**

5.6" / 16:9 HEADREST/STAND-ALONE MONITOR



**DXZ786USB**

HIGH END CD/USB/MP3/WMA/AAC RECEIVER WITH CeNET CONTROL



• CD-R/RW ready • MP3, WMA and iTunes® AAC compatible • Rear USB connector with maximum track capacity: 130,560 (255 tracks in 512 folders) • WMDRM 10 playback for Digital Media Streaming • 18 FM, 6 AM station presets • iPod® direct control via USB • 6V / 6ch audio preout • Subwoofer level control • 24-bit D/A converter • Sound Restorer • Digital Z-Enhancer • Digital time alignment • 3-way active crossover • 3-band parametric equaliser • Built-in High pass filter & Low pass filter • Built-in amplifier canceller • 4-channel x 53 watts MOS-FET amplification • Motorised sloping console • 728-variable colour display and illuminated keys • Full dot display with Screensavers • "SLIDETRAK" for dynamic operation • Mobile phone mute • Auxiliary input with level control • CeNET control of 6-disc CD changer • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote wired interface capability

**SLIDETRAK Sideways Control**




Clarion takes HMI to the next level with SLIDETRAK for precise control of key features on the main unit. Simply swipe your fingertip to easily adjust the volume. Preset radio stations and CD track controls are also incorporated into the multifunctional display, so you can navigate through preset stations or select your favourite music track by sliding your finger to a side of the display. SLIDETRAK also maximises available space on the main unit to create a large, easy-to-read display.



Rear USB connector with iPod control



6 volts / 6 channels



SR off SR on

**SOUND RESTORER**

Hear your music the way it was meant to be heard. Clarion's Sound Restorer recreates the high frequency information that is lost during compression. The result is clear and detailed sound.



X-over and Time Alignment



**DXZ586USB**

CD/USB/MP3/WMA/AAC RECEIVER WITH CeNET CONTROL



• CD-R/RW ready • MP3, WMA and iTunes® AAC compatible • Front USB slot with maximum track capacity: 130,560 (255 tracks in 512 folders) • WMDRM 10 playback for USB Digital Media Streaming • 18 FM, 6 AM station presets • iPod® direct control via USB • Subwoofer level control • 24-bit D/A converter • Sound Restorer • Digital Z-Enhancer • 2-band parametric equaliser • Built-in High pass filter & Low pass filter • 4-channel x 53 watts MOS-FET amplification • Flip-down console • High visibility 2-line display with Screensavers • "SLIDETRAK" for dynamic operation • Cellular input and Phone mute • Auxiliary input with level control • 6-channel audio pre-out • CeNET control of 6-disc CD changer • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote wired interface capability

**DXZ386USB**

CD/USB/MP3/WMA/AAC RECEIVER WITH CeNET CONTROL



• CD-R/RW ready • MP3, WMA and iTunes® AAC compatible • Front USB slot with maximum track capacity: 130,560 (255 tracks in 512 folders) • WMDRM 10 playback • 18 FM, 6 AM station presets • iPod® direct control via USB • 6ch RCA output • Built-in High pass filter & Low pass filter • Z-Enhancer Plus • MAGNA BASS EX dynamic bass enhancement • 4-channel x 50 watts • High visibility single line display with Screensavers • Rotary volume control • Phone mute • Front-panel auxiliary input with level control • CeNET control of 6-disc CD changer • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote wired interface capability



SLIDETRAK Sideways Control



Front USB connector with iPod control



24 bit D/A converter



**FB286BTB**

**FB276BT**

BLUETOOTH SD/MP3 RECEIVER



• SD slot for music playback • MP3 compatible with ID3-TAG display • Built-in Bluetooth wireless technology for handsfree / audio streaming and remote control • 18 FM station presets • 4-channel x 50 watts • Flip-down control panel • 728-variable colour illuminated face panel • Auxiliary input • 2-channel audio pre-out • External microphone included

**The next-generation source unit**

- Built-in Bluetooth audio streaming (A2DP & AVRCP)
- Built-in Bluetooth Handsfree (HFP)
- MP3 playback via SD card slot

\* Use the USB cable supplied to connect the iPod on models feat. iPod control  
\* Please visit the Clarion website for iPod models that can be connected.

**Bluetooth system**



**DB286USB**

CD/USB/MP3/WMA RECEIVER



• CD-R/RW ready • Front USB slot with maximum track capacity: 65,535 (supports 999 folders and max. 256 files in the folders) • MP3 and WMA compatible • 18 FM, 6 AM station presets • 13 x 8 digits High visibility LCD • Z-Enhancer Plus • MAGNA BASS EX dynamic bass enhancement • 4-channel x 50 watts • High visibility single line display with Screensavers • Rotary volume control • Non Fader volume control • Front-panel auxiliary input with level control • 4-channel audio pre-out (front+non fader) • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote wired interface capability



**DB186MP**

CD/MP3/WMA RECEIVER



• CD-R/RW ready • MP3 and WMA compatible • 18 FM, 6 AM station presets • Z-Enhancer Plus • MAGNA BASS EX dynamic bass enhancement • 4-channel x 50 watts • High visibility single line display with Screensavers • Rotary volume control • Phone mute • Mobile phone input through minijack • Front-panel auxiliary input with level control • 4ch/2v audio pre-out • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote interface capability



**DUB276MP**



**DUZ386MP**

2-DIN CD/USB/MP3/WMA/AAC RECEIVER WITH CeNET CONTROL



**DUB276MPW**  
2-DIN CD/USB/MP3/WMA RECEIVER

Remote control

- CD-R/RW ready • MP3 and WMA compatible • Front USB slot (supports max. 255 folders and max. 15,000 files in the folders) • 18 FM, 6 AM station presets • Z-Enhancer • MAGNA BASS EX dynamic bass enhancement • 4-channel x 50 watts MOS-FET amplification • High visibility single line display with Screensavers • 728-variable colour display and illuminated keys • Front-panel audio input with level control • 4-channel audio pre-out • AUX Bluetooth transceiver BLT370 ready • OEM steering wheel remote wired interface capability



Front USB input Front auxiliary input



728-variable colour illumination



Direct USB iPod Control



Front auxiliary input



Rear USB connector compatible with WMDRM 10



**WXZ466MP**

2-DIN 6-DISC CD/MP3/WMA RECEIVER / CeNET CONTROL



- CD-R/RW ready • MP3 and WMA compatible with ID3-TAG display • 18FM, 6AM station presets • 4-channel x 50 watts of MOS-FET amplification • VF display with Spectrum analyser and Screensavers • CATS: Theft prevention system with personal code • CeNET Control of: DVD changer, TV tuner, 6-disc CD changer and iPod • 4-channel audio pre-out • Auxiliary input with level control • CeNET iPod interface compatible (EA1251 is required)



Built-in 6-disc CD changer

**Bluetooth® & Mobile-phone**

With Clarion's Bluetooth® technology, talk hands-free through your car's audio system with a Bluetooth® compatible mobile phone. If your mobile phone (or other audio device) is compatible with Bluetooth audio profiles (A2DP or AVRCP), you can stream music stored on the phone or other audio device wirelessly to the car's audio system for playback.

**Bluetooth®**  
Hands-free communication and wireless music playback thanks to Bluetooth® technology

**BLT370**  
Bluetooth AUDIO/MOBILE-PHONE TRANSCEIVER FOR AUX INPUT

Bluetooth Profile : Headset Profile (HSP), Hands-free Profile (HFP), Advanced Audio Distribution Profile (A2DP), Audio Video Remote Control Profile (AVRCP)



**Bluetooth® Audio Interface**

Keep your mobile phone or Bluetooth® Audio enabled playback device safe and sound in your pocket or purse while enjoying crystal-clear sound through the BLT370 Bluetooth® audio/mobile phone transceiver.

**HX-D2**

CD RECEIVER/CeNET CONTROL




- Dual 24-bit / 96kHz sampling digital to analogue burr-brown converters and DSP • Built-in 4-way crossovers • 5-band parametric equaliser • Digital time alignment for each line level output • 8-channel/4-volt gold plate oxygen-free RCA output • 0.5dB-step electronic volume adjustment circuit • Copper plated chassis • External DC/DC converter • CeNET control of: DVD changer, 6-disc CD changer, TV tuner and iPod® • 2 x 2-channel auxiliary inputs • Zinc die-cast faceplate • Fiber optic input/output • Vacuum fluorescent display • 18FM, 6AM station presets



**96kHz Sampling D/A Converter**

96kHz sampling enables reproduction of sounds faithful to the original source. The 96kHz Sampling D/A converter samples at a much higher rate than the usual 44.1kHz to offer reproduction frequencies as high as 48kHz (half the sampling frequency of 96kHz), surpassing the format specifications for CD as the first such D/A Converter for car audio use. By broadening the sampling range, it becomes possible to reproduce the subtle nuances and depth contained in harmonic elements while reducing phase distortion in the high frequency range, delivering the full expressiveness and natural resonance that is inherently present in sound.

**Conceptual Diagram of Frequency/Phase Characteristics**



96kHz Sampling D/A Converter



Silver-Coated SK-6N (99.9999% Oxygen-Free) Copper RCA

## APX ILLUMINATION SERIES

### APX4361

680W 4/3/2 CHANNEL POWER AMPLIFIER



## DPX HYBRID SERIES : DIGITAL AMPLIFIERS

### DPX11551

1550W MONO POWER AMPLIFIER



### DPX1851

850W MONO POWER AMPLIFIER



### DPX2251

650W 2/1 CHANNEL POWER AMPLIFIER



Harness the power, love your music!

## APX SERIES

### APX2181

340W 2/1 CHANNEL POWER



### APX1301

420W MONO POWER AMPLIFIER



### APX4241

400W 4/3/2 CHANNEL POWER AMPLIFIER



### APX2121

200W 2/1 CHANNEL POWER AMPLIFIER



## PXW SERIES SUBWOOFERS

### PXW1552

38 CM [15"] DUAL 4-OHM VOICE COIL SUBWOOFER



### PXW1252

30 CM [12"] DUAL 4-OHM VOICE COIL SUBWOOFER



### PXW1251

30 CM [12"] DUAL 2-OHM VOICE COIL SUBWOOFER



### PFW1051

25 CM [10"] SINGLE 4-OHM VOICE COIL SHALLOW SUBWOOFER



## SRW SERIES SUBWOOFERS

### SRW1251

12" SINGLE 4-OHM VOICE COIL SUBWOOFER



### SRW1051

10" SINGLE 4-OHM VOICE COIL SUBWOOFER



## SB SERIES

### SB15XB & SB12XB

15" & 12" SINGLE 4-OHM VOICE COIL SUBWOOFERS



## ACTIVE SUBWOOFER

### SRV313

SLIM DESIGN 17 CM [6-3/4"] COUNTER DRIVE ACTIVE SUBWOOFER



Stick wired remote control

## ACCESSORIES

**VA700**  
VIDEO DISTRIBUTION AMPLIFIER



**FM200**  
FM MODULATOR



**IR700**  
WIRELESS HEAD-PHONE SYSTEMS  
(FOR OHM1575VD/ OHM107VD & OHM875VD)



**IRH602A**  
DUAL CHANNEL WIRELESS HEAD-PHONE SYSTEMS  
(FOR VMA SERIES HEAD-REST MONITORS)



**FMC250**  
CD CHANGER CONTROLLER WITH FM MODULATOR



**CC2011E**  
ULTRA COMPACT COLOUR CCD CAMERA (MIRROR IMAGE)



**CAA188**  
POWER BOX FOR CCD CAMERA (FOR MAX676VD)



**CAA185**  
POWER BOX FOR CCD CAMERA (FOR MAX686BT/VRX786BT/VRX586USB/VRX386USB)



**CAMERA CABLES FOR CC2011E**

- Connecting cables for compact camera
- CCA532 (7m)
- CCA533 (10m)
- CCA534 (15m)

### SH1575/SH1075

**SHROUD**  
(FOR OHM1575VD/ OHM107VD)



**DCZ625**  
6-DISC CD CeNET CHANGER

**DC625**  
6-DISC CD C-BUS CHANGER

# Speakers

Passion for performance,  
innovative by design

Clarion is proud to present its premier line of multi-speakers for a new generation of vehicles. Offering a specific fit adaptor for vehicles with more difficult fitment requirements, and allowing for a seamless and effort-free installation. Other features include die-cast frames for advanced rigidity, soft silk dome tweeters, and Spider Exhaust Technology S.E.T. Cooling for improved power handling.



## ULTRA SERIES

### SRU1720M INPUT PWR 350W

16.5 CM (6-3/4") /  
15 CM x 20 CM (6" x 8")  
MULTIFIT SPEAKER  
SYSTEM



### SRU1320M INPUT PWR 250W

13 CM (5-1/4") / 12 CM x 18 CM  
(5" x 7") MULTIFIT SPEAKER SYSTEM



### SRU310H INPUT PWR 300W

2.5 CM (1")  
DOME TWEETER



## PLATINUM SERIES

### SRP1620M INPUT PWR 250W

16 CM (6-1/2") /  
15 CM x 20 CM (6" x 8")  
MULTIFIT SPEAKER  
SYSTEM



### SRP1320M INPUT PWR 220W

13 CM (5-1/4") / 12 CM x 18 CM (5" x 7")  
MULTIFIT SPEAKER SYSTEM



### SRP4620M INPUT PWR 150W

10 CM (4") / 10 CM x 15 CM (4" x 6")  
MULTIFIT SPEAKER SYSTEM



### SRP6920M INPUT PWR 450W

15 CM x 23 CM (6" x 9")  
MULTIFIT SPEAKER SYSTEM



## "Q" SERIES

### SRQ1620S INPUT PWR 250W

16 CM (6-1/2") 2WAY  
COMPONENT SYSTEM



### SRQ1320S INPUT PWR 200W

13 CM (5-1/4") 2WAY  
COMPONENT SYSTEM



### SRQ1630R INPUT PWR 280W

16 CM (6-1/2")  
MULTIAXIAL 3WAY



### SRQ1330R INPUT PWR 200W

13 CM (5-1/4")  
MULTIAXIAL 3-WAY



### SRQ6931R INPUT PWR 350W

15 CM x 23 CM (6" x 9")  
MULTIAXIAL 3-WAY



## "Q" SERIES

### SRQ1020R INPUT PWR 140W

10 CM (4")  
COAXIAL 2-WAY



### SRQ210H INPUT PWR 200W

2 CM (3/4")  
DOME TWEETER



## "G" SERIES

### SRG6920R INPUT PWR 350W

15 CM x 23 CM (6" x 9")  
COAXIAL 2WAY



### SRG1620R INPUT PWR 180W

16 CM (6-1/2")  
COAXIAL 2WAY



### SRG1320R INPUT PWR 150W

13 CM (5-1/4")  
COAXIAL 2WAY



### SRG1020R INPUT PWR 140W

10 CM (4")  
COAXIAL 2WAY



## CUSTOM-FIT SERIES

### SRG5720C INPUT PWR 200W

13 CM x 18 CM (5" x 7")  
CUSTOM-FIT COAXIAL 2WAY



### SRG4620C INPUT PWR 140W

10 CM x 15 CM (4" x 6")  
CUSTOM-FIT COAXIAL 2WAY



### SRG920C INPUT PWR 60W

9 CM (3-1/2")  
CUSTOM-FIT COAXIAL 2WAY



## Spider Exhaust Technology Cooling S.E.T.

Heat is the number one enemy of speakers. All of Clarion's Ultra and Platinum woofer drivers feature S.E.T. (Spider Exhaust Technology) Cooling, to allow hot air to escape the speaker's internal motor assembly via computer designed porting.



## MultiFit

The multi-fit construction of the Ultra and Platinum series allows the tweeter and woofer to be separated during installation. This grants the user the ability to install the speakers in the most focally correct location for specific vehicles.



## ACCESSORIES

### Direct iPod connection

#### CCA673

iPod AUDIO/VIDEO  
CONNECTING CABLE  
• For MAX676VD/VRX776VD



#### CCA691

iPod AUDIO/VIDEO  
CONNECTING CABLE  
• For VRX586USB/VRX386USB



#### CCA723

iPod AUDIO/VIDEO  
CONNECTING CABLE  
• For MAX686BT/VRX786BT



#### CCUiPod

iPod AUDIO  
CONNECTING CABLE  
• For MAX386VD/VRX486VD



### CeNET - iPod Interface

**Interfaces to enjoy iPods  
with full operation**

#### EA1276

iPod CONNECTING UNIT  
• Compatible with '07 CeNET  
Models



**Interfaces to enjoy iPods with  
simple operation as with  
CD Auto-changers**

#### EA1251

iPod CONNECTING UNIT  
• For WXZ466MP/HX-D2



\*Compatible with '06 or older CeNET Models

### CABLES

#### CCA-389

Mini 8-pin (DIN) to RCA  
Transfer Cable

#### CCA-623

RCA transfer cable for TB851P  
• 1 AUX AV (L/R/V) input,  
1 video line-out

#### CCA-519

CeNET Branch Cable: 1 m

#### CCA-520

CeNET Extension Cable: 2.5 m

#### CCA-521

CeNET Extension Cable: 0.6 m

### CeNET - iPod Interface

#### CCA iPod

CeNET iPod INTERFACE

• iPod® Audio Transfer Through CeNET  
Busing • Sort Music by Song Title, Album,  
Artist, Composer, Genre and Playlist.  
• Track Information on CD Text  
Compatible Source Units • Recharges  
iPod® Battery



### REMOTES

#### RCB-147-600

Infrared joystick remote control

#### RCB-176

Remote Control

#### RCB-177

Remote Control  
For MAX686BT/VRX786BT

### CD MAGAZINE

#### CAA-397-900

Spare 6-CD Magazine  
• For DCZ625/DC625

### OPTIONAL CABLES

	Terminal Shape		Length
	Out	In	
DCA-005	VRX776VD	DVH940	5 m
DCA-006	DCZ625	DVH940	5 m
DCA-008	VRX776VD	DVH940	1.5 m

### Notes

- Specifications and design are subject to change without notice.
- Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors.
- Photographs in this catalogue may appear slightly different in colour than the actual object due to printing ink properties.
- iPod and iTunes are for legal or right holder authorised copying only. Don't steal music.
- iPod® and iTunes® are a trademark of Apple Inc. registered in the U.S. and other countries.
- The Bluetooth trademark and logo are owned by Bluetooth SIG, Inc., and use of these trademarks by Clarion is carried out under license.
- DivX, DivX Certified, and associated logos are trademarks of DivX, Inc. and are used under license.
- All other trademarks are the property of their respective owners.
- All units in this catalogue are primarily intended for installation in passenger cars. Use in lorries, tractors, off-road vehicles, construction machinery, boats (except marine products), and other special-purpose vehicles or on motorcycles is not recommended.
- There is no guarantee that all units in this catalogue can play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW
- The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment
- LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective.
- USB digital media streaming-compatible. This product is protected by certain intellectual property rights of Microsoft Corporation. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft Corporation.
- Windows Media and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.
- See the Clarion website for iPod models that can be connected

# clarion

## Clarion Australia Pty. Ltd.

30 Corporate Drive, Moorabbin, Victoria, Australia, 3189  
Tel: (03)8558-1115 Fax: (03)9551-0366  
<http://www.clarion.com.au>

## Clarion Co., Ltd.

5-35-2 Hakusan, Bunkyo-ku, Tokyo 112-8608, Japan  
Tel: (81) 3-3815-1121  
<http://www.clarion.com>

Authorised Dealership

**WARNING: Driver is prohibited by law from viewing a video signal on any in-dash monitor while the vehicle is in motion.**