

## 歌乐：心系客户未来，铸就全球品牌

歌乐成立于 1940 年，自 1951 年成功开发出日本首款汽车收音机以来，始终坚持利用新技术积极开发新产品。诞生于日本的歌乐如今已得到全球各大汽车制造商的广泛认可，歌乐专注于包括您在内的广大汽车用户的当前需求和未来需求，并以之为灵感源泉，永不停止创新的脚步。歌乐专业从事车内设备及系统的开发生产，密切关注您的爱车和您的生活方式。正因为如此，我们才能做到让您的投资发挥最大价值。凭借最先进的创新技术以及对卓越音效的不懈追求，歌乐必能为您带来称心如意的驾乘体验。

### Notes

"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance.

- iPhone, iPod, iPod classic, iPod nano, iPod touch, and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Specification and design are subject to change without notice.
- Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors.
- Android™ is a trademark of Google Inc.
- Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories.
- The trademark and the Bluetooth® logo are owned by Bluetooth® SIG, Inc. and any utilisation of these trademarks by Clarion is carried out under licence.
- DivX®, DivX Certified® and associated logos are trademarks of Rovi Corporation or its subsidiaries and are used under license. DivX Certified® to play DivX® video, including premium content. Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274
- All units in this catalog are primarily intended for installation in passenger vehicles. Use in commercial trucks, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended.
- It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file.
- There's no guarantee that all units in this catalogue play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW.
- Please see the Clarion website for iPod models that can be connected.

- Clarion's navigation systems should not be used as a substitute for your own judgement. Any route suggestions made by a Clarion navigation system should never override any local traffic regulations, your own judgement, and/or knowledge of safe driving practices. Disregard route suggestions by the navigation system if such suggestions would: cause you to perform a hazardous or illegal maneuver, place you in a hazardous situation, or route you into an area you consider unsafe.
- The advice provided by the navigation system is to be regarded only as a suggestion(s). There may be situations where the navigation system displays the vehicle's location incorrectly, fails to suggest the shortest course, and/or fails to direct you to your desired destination. In such situations, rely on your own driving judgement, taking into account current driving conditions.
- Do not use the navigation system to route you to emergency services. The database does not contain a complete listing of locations of emergency service providers such as police, fire stations, hospitals and clinics. Please use your judgement and your ability to ask for directions in these situations.
- The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment.
- Smartphone compatibility may vary by model and operating system. Please check [www.clarion.com](http://www.clarion.com) for details.
- LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective.
- The SD logo is a trademark of the SD Card Association.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

**WARNING: Driver is prohibited by law from viewing a video signal on any in-dash monitor while the vehicle is in motion.**

# clarion

# 歌乐



NX403C

clarion  
歌乐

[www.clarion.com](http://www.clarion.com)

### 歌乐（香港）实业有限公司

中国香港九龙红磡鹤翔街 1 号  
维港中心第一座七楼 12 室  
电话：+852-2723-2088，传真：+852-2723-1991

### 东莞歌乐东方电子有限公司

中国广东省东莞市东坑镇  
东坑大道南骏达工业区  
电话：+86-769-8338-7001，+86-769-8338-5604

### Clarion Co., Ltd.

7-2 Shintoshin, Chuo-ku, Saitama-shi, Saitama, 330-0081, Japan  
电话：(81)48-601-3700，传真：(81)48-601-3701

分销商





娱乐体验与您驾驶风格的完美匹配



前后双 USB 接口

尽情享受音乐盛宴。前后各有一个 USB 端口，可轻松连接各种媒体源。除了 iPod 和 iPhone 之外，您还可以播放存储在 USB 存储设备上的音乐文件。支持音乐 CD 和自行刻录的 MP3/WMA 光盘。与 Beat EQ Plus 和延时校正等先进的音频功能相结合，为您带来高品质的音效。



CZ703A

CD/USB/MP3/WMA/蓝牙接收器  
728 可变色照明  
延时校正和分频器



数字媒体音频处理器



CZ302A

CD/USB/MP3/WMA/蓝牙接收器



前置 USB 端口与 iPod、iPhone 以及 USB 存储设备兼容。iPod 功能可通过 CZ302A/CZ202A/CZ501A/CX501A/CX201A 进行控制。



CZ202A

CD/USB/MP3/WMA 接收器



CZ102A

CD/MP3/WMA 接收器

型号	媒体				连接						音频										常规							
	COMPACT DISC DIGITAL AUDIO	COMPACT DISC DIGITAL AUDIO	MP3/WMA	FM/AM	Bluetooth	Parrot	Made for iPod iPhone	USB	5V/6ch OUTPUT	4V/6ch OUTPUT	2V/4ch OUTPUT	2V/2ch OUTPUT	FRONT AUX INPUT	Subwoofer level control	H-BASS EX	BeatEQ Plus	BeatEQ	SHIELDING	X-OVER	LPEX/HPF	LPF	High Visibility LCD	Integral Refractory Volume	MOS-FET 50Wx4	MOS-FET 45Wx4	728c	OEM	DCP
CZ703A	●	—	●	18FM、6AM	内置 <sup>*1</sup>	●	USB (音频/视频) <sup>*2</sup>	后部/前部	● <sup>*5</sup>	—	—	—	●	●	—	● <sup>*9</sup>	—	●	●	● <sup>*11</sup>	—	● <sup>*13</sup>	●	●	—	●	●	●
CZ302A	●	—	●	18FM、6AM	内置 <sup>*1</sup>	●	USB (音频/视频) <sup>*3</sup>	前部 <sup>*4</sup>	—	—	● <sup>*6</sup>	—	●	●	● <sup>*8</sup>	—	● <sup>*10</sup>	—	● <sup>*11</sup>	—	● <sup>*14</sup>	●	—	●	—	●	●	
CZ202A	●	—	●	18FM、6AM	—	—	USB (音频/视频) <sup>*3</sup>	前部 <sup>*4</sup>	—	—	—	● <sup>*7</sup>	●	●	● <sup>*8</sup>	—	● <sup>*10</sup>	—	—	● <sup>*12</sup>	● <sup>*14</sup>	●	—	●	—	—	●	
CZ102A	●	—	●	18FM、6AM	—	—	—	—	—	—	—	● <sup>*7</sup>	●	●	● <sup>*8</sup>	—	● <sup>*10</sup>	—	—	● <sup>*12</sup>	● <sup>*14</sup>	●	—	●	—	—	●	
CX201A	—	●	●	18FM、6AM	—	—	USB (音频/视频) <sup>*3</sup>	前部 <sup>*4</sup>	—	—	● <sup>*6</sup>	—	●	●	● <sup>*8</sup>	—	● <sup>*10</sup>	—	—	● <sup>*11</sup>	—	● <sup>*13</sup>	●	—	—	●	—	
CX501A	—	●	●	18FM、6AM	内置 <sup>*1</sup>	—	USB (音频/视频) <sup>*3</sup>	前部 <sup>*4</sup>	—	—	● <sup>*6</sup>	—	●	●	● <sup>*8</sup>	—	● <sup>*10</sup>	—	—	● <sup>*11</sup>	—	● <sup>*13</sup>	●	—	—	●	—	


\*1 有关蓝牙型号兼容的详情，敬请访问我们的网站 \*2 可选 USB 线缆 (视频)：CCA750；有关 iPod 兼容性，敬请访问我们的网站 \*3 可选 USB 线缆 (视频)：CCA748 \*4 带滑盖的前置 USB 接口 \*5 前置 2 声道 + 后置 2 声道 + 超低音扬声器 2 声道 \*6 前置 2 声道 + 后置 2 声道或超低音扬声器 \*7 后置 2 声道或超低音扬声器 \*8 增强超低频效果

双 DIN 兼具强大性能与精美外观



CX501A

2-DIN 蓝牙 CD/USB/MP3/WMA 接收器



728 可变色彩照明及按钮，可与仪表盘的  
外观完美搭配，也可根据个人喜好选择。



CX201A

2-DIN CD/USB/MP3/WMA 接收器



真实的原音再现，聆听每处细节，体验每种神韵。




HX-D3

高保真 CD 接收器/CeNET 控制



- 双 24 位/96kHz 数字采样技术用于模拟 Burr-Brown 转换器和 DSP
- 内置 4 路分频器
- 5 段参数均衡器
- 针对每路电平输出进行数字延时校正
- 8 声道/4 伏镀金无氧 RCA 输出
- 0.5dB 步长电子音量调节电路
- 镀铜机架
- CeNET iPod® 接口兼容 (需要使用 EA1251)

更高的采样率带来极致的真实感



◆频率/相位特性的概念性示意图

XH 系列放大器



功率放大器	最大输出功率	4 欧姆	2 欧姆	类型	声道数	尺寸 (宽 × 长 × 高)
XH7110	850W	450W × 1	850W × 1	GH/AB 类	单声道	407 × 230 × 67 mm
XH5410	680W	90W × 4	160W × 4	AB 类	4/3/2	373 × 230 × 67 mm
XH5210	340W	90W × 2	160W × 2	AB 类	2/1	316 × 230 × 67 mm

XH7110

850 W 单声道  
GH 类功率放大器

由内而外的强劲功率

XR 系列 AB 类功率放大器



XR2120  
570 W 单声道功率放大器



XR2420  
480 W 4/3/2 声道功率放大器



XR2220  
280 W 2/1 声道功率放大器

XC 系列 D 类功率放大器



XC6610  
1,000 W 6/5/4/3 声道功率放大器



XC6410  
600 W 4/3/2 声道功率放大器



XC6210  
350 W 2/1 声道功率放大器

超重低音系列产品

WG 系列



WG3020  
30 cm (12") 4 欧姆单音圈超低音扬声器



WG3020D  
30 cm (12") 4 欧姆双音圈超低音扬声器



WG2520  
25 cm (10") 4 欧姆单音圈超低音扬声器



WG2520D  
25 cm (10") 4 欧姆双音圈超低音扬声器

WF 系列



WF2520  
25 cm (10") 4 欧姆单音圈薄型超低音扬声器



WF2520D  
25 cm (10") 4 欧姆双音圈薄型超低音扬声器

SRV

有源超低音扬声器

SRV250

最大 150W 16.5 cm (6-3/4") 功率放大器超低音扬声器小尺寸设计



- 16.5cm (6-3/4") 超低音扬声器
- 内置 MOS-FET 功率放大器, 最大输出 150W • 小尺寸设计, 可安装在座椅下面
- AMI-PP 振盆采用聚丙烯混合芳纶纤维材料 • 坚固的铝质压铸外壳, 可实现优质的低音再现
- 有线遥控器 (电缆长 2m) 上有独立按钮, 用于增益控制/低通滤波器/相位切换 • RCA/扬声器电平输入 • 附带遥控器延长线 (4m) • 尺寸 (宽 × 高 × 深) (mm) 主设备: 275 × 70 × 195, 遥控设备: 32 × 24.5 × 111 • 重量 (g) 主设备: 2,500, 遥控设备: 90

功率放大器	最大输出功率	4 欧姆	2 欧姆	类型	声道数	尺寸 (宽 × 长 × 高)
XR2120	570W	280W × 1	400W × 1	AB 类	单声道	354 × 216 × 55 mm
XR2420	480W	60W × 4	90W × 4	AB 类	4/3/2	354 × 216 × 55 mm
XR2220	280W	65W × 2	95W × 2	AB 类	2/1	294 × 216 × 55 mm
XC6610	1,000W	250W × 3	125W × 6	D 类	6/5/4/3	289 × 175 × 56 mm
XC6410	600W	250W × 2	125W × 4	D 类	4/3/2	222 × 175 × 56 mm
XC6210	350W	250W × 1	125W × 2	D 类	2/1	162 × 175 × 56 mm

超低音扬声器	尺寸	最大功率容量	高强度冲压钢	双音圈	尺寸 (宽 × 高 × 深)
WG3020	30cm (12")	1000W	●	—	307 × 307 × 148.2 mm
WG3020D	30cm (12")	1000W	●	●	307 × 307 × 148.2 mm
WG2520	25cm (10")	1000W	●	—	259 × 259 × 136.5 mm
WG2520D	25cm (10")	1000W	●	●	259 × 259 × 136.5 mm
WF2520	25cm (10")	1000W	●	—	270.67 × 270.67 × 70.64 mm
WF2520D	25cm (10")	1000W	●	●	270.67 × 270.67 × 70.64 mm
SRV250	16.5cm (6-3/4")	150W	—	●	275 × 70 × 195 mm

备受专业人士青睐的技术

PLATINUM Platinum 系列

最大 350 W  
SRP1722S  
16.5 cm (6-1/2") 2 路组合式扬声器



SRQ SRQ 系列

最大 400 W  
SRQ1633R  
16 cm (6-1/2") 多轴 3 路扬声器



SRE SRE 系列

最大 300 W  
SRE1722S  
16.5 cm (6-1/2") 2 路组合式扬声器



SRG SRG 系列

最大 350 W  
SRG1723S  
16.5 cm (6-1/2") 2 路组合式扬声器



最大 350 W  
SRG1623S  
16 cm (6-1/2") 2 路组合式扬声器



最大 300 W  
SRG1733R  
16.5 cm (6-1/2") 多轴 3 路扬声器



最大 260 W  
SRG1623R  
16 cm (6-1/2") 同轴 2 路扬声器



最大 230 W  
SRG1323R  
13 cm (5-1/4") 同轴 2 路扬声器



最大 200 W  
SRG1023R  
10 cm (4") 同轴 2 路扬声器



最大 200 W  
SRG213H  
2.5 cm (1") 平衡驱动高频扬声器



最大 450 W  
SRG6933R  
15 cm × 23 cm (6" × 9") 多轴 3 路扬声器



最大 300 W  
SRG6833C  
15 cm × 20 cm (6" × 8") 量身打造的多轴 3 路扬声器



SRP 扬声器	尺寸	最大音乐功率	类型
SRP1722S	16.5 cm (6-1/2")	350 W	2 路组合式扬声器

SRQ 扬声器	尺寸	最大音乐功率	类型
SRQ1633R	16 cm (6-1/2")	400 W	多轴 3 路

SRE 扬声器	尺寸	最大音乐功率	类型
SRE1722S	16.5 cm (6-1/2")	300 W	2 路组合式扬声器

SRG 扬声器	尺寸	最大音乐功率	类型
SRG1733R	16.5 cm (6-1/2")	300 W	多轴 3 路
SRG1623S	16 cm (6-1/2")	350 W	2 路组合式扬声器
SRG1623R	16 cm (6-1/2")	260 W	同轴 2 路
SRG1323R	13 cm (5-1/4")	230 W	同轴 2 路
SRG1023R	10 cm (4")	200 W	同轴 2 路
SRG1723S	16.5 cm (6-1/2")	350 W	2 路组合式扬声器
SRG213H	2.5 cm (1")	200 W	平衡驱动高频扬声器
SRG6933R	15 cm × 23 cm (6" × 9")	450 W	多轴 3 路
SRG6833C	15 cm × 20 cm (6" × 8")	300 W	量身打造的多轴 3 路