Clarion

MARINE SYSTEMS 2017-2018 PRODUCT PORTFOLIO



Engineered specifically with marine performance in mind

When it comes to superior sound performance and connectivity, Clarion Marine Systems offer an extraordinary audio and infotainment experience. From source units and amplifiers, to speakers and remote controls, Clarion Marine Systems deliver modern, innovative designs and a commitment to quality that ensures you receive best- in-class performance in audio and entertainment, enhanced with genuine, marine-grade durability and dependability.

Our legendary passion for audio and perfecting the art of entertainment for today's active lifestyle continues to make Clarion an enduring brand that captures the spirit of the open water. We invite you to explore the world of Clarion Marine and discover our expanded line of advanced, rugged, all-weather marine products.

Obeying the marine products standards

Setting the standard for Marine Audio systems

Clarion Marine Systems comprise a full range of water and UV resistant devices from source units to speakers. Compliant with tough industry standards and tests such as ASTM B117 (Salt Spray/Fog Exposure) and ASTM D4329 (UV Exposure), Clarion Marine products offer protection against the rain, spray, and humidity that may come your way.



Should any water get behind the panel, the stainless steel chassis, along with an integrated drip shield over the main harness connector, helps protect internal circuitry from the effects of moisture, corrosion and mildew.



Engineered to withstand salt, fog and UV (CMV1 / CMD8 / CMS4 / CMS5)

The CMV1 / CMD8 / CMS4 / CMS5 source units have been IPX5 (CMS4 : IP66, CMS5 : IP67) tested and certified to offer the highest water intrusion protection and salt resistance. Rubber gaskets stop water in its tracks, with integrated drainage channels to keep water out.



Clarion Marine Systems

Watertight flip-down face reveals loading slot for CD and DVD playback. (CMV1 / CMD8)

Gorilla[®] Glass for best visibility and robustness (CMS4)

The tough Gorilla[®] Glass is used in smartphones and tablets for its robustness, and it's also featured on the CMS4 display panel for the same reason. Count on this scratchresistant, break-resistant glass to safeguard the LCD.





Your marine multiroom system

CMS4

"Black box" digital media receiver with watertight commander

· IP66 rated 3.5" optically bonded colour LCD Commander with Corning® Gorilla® Glass

RDS tuner

Bluetooth music streaming with aptX[™]

Global AM / FM / weather band tuner

70 watts x 4 @ 2 ohm built-in amplifier

8-channel / 3.5 V RCA outputs

· 4 dedicated subwoofer outputs

- 7-band equaliser
- True 4 zone source and volume control
- · Camera input with audio support
- RGB custom button and knob illumination
- · Wired marine remote ready
- Available with flat black or chrome bezel





🚯 Bluetooth





USB

MP3/WMA



Blue columns are being actively controlled by the display controller

Multi-Zone mode				
ZONE	1	2	3	4
Volume Levels				<u></u>
	22	40	35	0

Multi-source. Multi-zone

The CMS4 features four independent source and output zones. Each zone has its own dedicated source control, volume control and a dedicated wired remote control input. You can place a remote on the stern of your boat to control a set of wakeboard tower speakers, another remote in the galley to enjoy music while you eat and keep the main control panel at the helm to oversee the entire configuration and its operation.





Your master can control up to 4 independent zones on your boat



Hideaway source unit for installation flexibility

Clarion's CMS4 is the ultimate media hub developed to enhance the user interface and audio experience. The essentials, including Bluetooth aptX, USB ports, dedicated rear camera, RCA Input, marine true 4 zone, source volume control, 7-band equaliser, and AM / FM / weather band tuner are built in, and you can easily create a system that can be customised to your exact needs.



RGB custom button and knob illumination





Control onboard functions with multi-function display

The MW6 NMEA 2000 Certified interface module allows Clarion marine source units to be seamlessly added to a boat's onboard NMEA 2000 network, enabling control of Clarion source units directly from the boat's Multi-Function Display (MFD) device. After simple plug-and-play installation, boaters will be able to control various audio system functions, including power on/ off, volume, source selection, play/pause, next/previous track and more, directly from their MFD. Additionally, source selection, song / track / album title, radio frequency and more, is displayed on the GUI.

• With the Clarion MW6 you will have connection to a boat-installed Multi-Function display. Control your Clarion main unit from your master display and see who is singing a song.



SALT & SUN SUPERIOR WATER Bluetooth[®] SOURCE UNITS RESISTANT DURABILITY SOUND STREAMING

Delivers entertainment under the harshest of conditions

GR10BT

USB / MP3 / WMA receiver with built-in Bluetooth

- IPX5 rated water-resistant front panel
- · IPX3 rated 3" gauge hole chassis
- · Bluetooth music streaming
- MP3 / WMA USB file playback
- · Auxiliary audio RCA input

- Smartphone charging via USB
- Global AM / FM / weather band tuner
- 45 watts x 4 built-in amplifiers
- 4-channel / 2 V RCA outputs







4-channel / 2 V RCA outputs

Since the unit is equipped with 4-channel RCA-type line outputs, you can boost the bass by connecting a subwoofer. You can count on high-guality system upgradability as the unit has four internal 45W amplifiers to pump the music over your onboard system.



Standard gauge hole sizing

The GR10BT is designed to fit in a standard three-inch gauge hole instrument panel opening. Both new Clarion marine-grade source units offer greater flexibility to boat builders and boat owners alike who want durable, feature-rich audio systems that maintain a streamlined instrument panel.

Bluetooth for stereo audio streaming

Built-in Bluetooth provides stereo streaming with a wide variety of Bluetooth compatible devices. Play music stored on your connected Bluetooth device, whether it's a mobile phone or a portable audio player, with wireless convenience.

- Meets or exceeds ASTM B117 (salt fog exposure)
- Meets or exceeds ASTM D4329 (UV exposure)
- Meets or exceeds 3.0G of vibration resistance
- Circuit boards coated in a moisture-resistant polymer
- Low power consumption when powered off

Easy and quick music pleasure



CMV1



Watertight DVD / CD / USB receiver

- IPX5 rated 3.5" LCD screen optically bonded
- BBE[®] MP for better sounding MP3 / WMA / AAC files
- 24-bit D/A converter

- 2-channel RCA auxiliary audio input (Rear)
- Rear USB with water-resistant cap
- 50 watts x 4 built-in amplifiers
- 6-channel / 2 V RCA output
- Wired marine remote ready





MP3/WMA/AAC

3.5-inch monitor for comfortable viewing

The large 3.5-inch monitor allows easy viewing of a variety of digital audio/ video sources. Playback and enjoy DVDs, DivX encoded discs, as well as iPod Video . Enjoy the latest wave in marine entertainment — the same digital sources you like to enjoy on land!



CMD8

Watertight CD/USB receiver

- IPX5 rated LCD screen optically bonded
- Integrated drip shield
- 2-channel RCA auxiliary audio input (Rear)



- Rear USB with water-resistant cap
- 45 watts x 4 built-in amplifiers
- 4-channel / 2 V RCA output
- Built-in high- & low-pass crossovers
- Wired marine remote ready



Compatibility with CD / MP3 / WMA

The unit's built-in CD player supports a variety of discs, including homeburned CD-ROMs with MP3 and WMA files stored on them, as well as common store-bought music CDs. Multi-format compatibility lets your music set sail.



Safe and sound way to rock the boat



watertight controller with J1939 compatibility

Digital media receiver with 10.9 cm (4.3-inch) colour LCD





LCD commander

(2.1 A dual USB)

2 audio / video RCA inputs

CPU

IP67 rated 4.3" optically bonded colour

Linux operating system with ARM9

Global AM / FM / weather band tuner

iPad[®] / iPod[®] / iPhone[®] / USB readv



Marine 2-zone source / volume control

50 watts x 4 built-in amplifiers

• 8-channel / 4 V RCA outputs

· Built-in low-pass crossover

· Wired marine remote ready

Dedicated camera input

(2-channel fixed)

5-band equaliser



Digital media receiver with watertight commander

- IPX6 rated 3-line full dot matrix LCD displav
- Bluetooth music streaming with aptX
- Global AM / FM / weather band tuner
- iPhone[®] / iPod[®] / USB ready
- Made for liPod liPhone









Just connect your smartphone using the 1.1 Amp USB pigtail for music playback from the CMS2



Auxiliary audio RCA input

50 watts x 4 built-in amplifiers

• Built-in high- & low-pass crossovers

6-channel / 2 V RCA output

Wired marine remote ready





- Meets or exceeds ASTM B117 (salt fog exposure)
- Meets or exceeds ASTM D4329 (UV exposure)
- · Meets or exceeds 3.0 G of vibration resistance
- Circuit boards coated in a moisture-resistant polymer
- · Low power consumption when powered off







Bluetooth/CD/USB/MP3/WMA receiver

- Two line positive LCD
- Built-in Parrot Bluetooth for HFP / A2DP
- Built-in microphone
- 2-channel RCA auxiliary audio input
- Rear USB with water-resistant cap
- 45 watts x 4 built-in amplifiers







- · Built-in high- & low-pass crossovers
- Wireless remote ready with optional RCX002
- Wired marine remote ready



CD/MP3/WMA receiver

- 13 x 8 high visibility LCD
- MP3 / WMA playback
- 2-channel RCA auxiliary audio input
- Front 3.5 mm auxiliary input
- 50 watts x 4 built-in amplifier
- 4-channel RCA output





SPEAKERS / ACCESSORIES

WATER RESISTANT

Deliver the music in style

200 W Max.



18 cm x 25 cm (7" x 10") tower speaker with swiveling clamps

- · 200 watts maximum power handling
- 100 watts RMS
- Water resistant
- · Unique 8" x 12" design allows for maximum cone area and a Lower Profile on the Tower
- Mica-injection polypropylene woofer cone
- Lightweight aluminium swivel with 360° turning radius for ultimate convenience
- · 1" aluminium dome tweeter

 Meets or exceeds ASTM D4329 (UV exposure)

SALT & SUN

DURABILITY

- Meets or exceeds ASTM B117 (salt fog exposure)
- · Stainless steel mounting hardware included
- · Optional all weather protective cover



BUILT TO

LAST

SUPERIOR

SOUND





- Marine speaker features
- Water resistant
- Mica-injection polypropylene woofer cone
- Santoprene rubber surrounds
- Ferric oxide magnets

- High Impact ASA Plastic Grills (applies to models ending with an L)
 Meets or exceeds ASTM D4329 (UV exposure)
- Die-cast aluminium (CMQ series) & High impact ASA plastic
- (CMG series) speaker baskets

CMQ1622RL

6-1/2" mica-injection polypropylene

1-1/4" compression horn tweeter

200 W Max.

illumination Built-in blue LED lighting 200 watts maximum power handling

60 watts RMS

woofer cone

16.5 cm (6-1 / 2")

- Compression horn tweeters (CMQ series)
- Meets or exceeds ASTM B117 (salt fog exposure)

- · Rubber mounting gaskets and liquid drainage system
- Magnetic shielding integrated into the basket
- Stainless steel mounting hardware included

Cool looks, hot sound



Marine line-up



100 W Max.

CM1625

16.5 cm (6-1/2") coaxial 2-way water-resistant speaker

120 W Max.

CMG16225

16.5 cm (6-1 / 2") 2-way water-resistant component speaker system

100 W Max.

CMG1622R

16.5 cm (6-1 / 2") coaxial 2-way water-resistant speaker



100 W Max.

coaxial speaker system with blue LED

17 cm (7") coaxial 2-way water-resistant speaker



350 W Max. CMG2512W

25 cm (10") single 4-ohm voice coil waterresistant subwoofer





160 W Max. CMQ6922R

15 cm x 23 cm (6" x 9") coaxial 2-way water-resistant high performance series speaker

400 W Max. CMQ2512W

25 cm (10") single 4-ohm voice coil waterresistant high performance series subwoofer









BELGIUM CLARION EUROPE S.A.S.

244, rue du Pré à Varois 54670 Custines France Tel. : +33 (0)3 83 49 44 00 Fax : +33 (0)3 83 49 45 99 e-mail : info@clarion.fr

BULGARIA IMPAS 56 Ltd.

67 Cherni Vrah Blvd. 1407 Sofia Tel.: +(359 2) 862 47 18 Fax: +(359 2) 868 95 70 e-mail: info@impas56.com

CYPRUS ANGELOS RADIO CO., LTD.

80, Digenis Akritas Avenue, Nicosia 1061 TEL: + 357 22 765487 / 22 460099 FAX: + 357 22 757664 e-mail: angelosradio@cytanet.com.cy

CZECH REPUBLIC

Syntego, s.r.o.

K Fialce 5 15500, Praha 5 Tel.: +420 257 310 105 Fax: +420 257 311 215 e-mail: info@syntego.cz

ESTONIA R & P GRUPP OÜ

Kadaka tee 1 10621 Tallinn Tel.: +372 6 50 74 74 Fax: +372 6 50 74 75 e-mail: info@rpgrupp.com

GREECE NIC. J. THEOCARAKIS S.A.

Car Audio & Visual Division 169 Athinon Ave. 104 47 Athens Tel.: +30 210 34 79 700 Fax: +30 210 34 51 949 e-mail: info@clarion.gr

HUNGARY Hifi Station Kft

Fogarasi út 198 Budapest 1141 Tel.: +36 1 4600 535 Fax: +36 1 422 1004 e-mail: info@hifi-station.hu

LITHUANIA ALTAS SECURITY CORP.

Kalnieciu 104 LT50184 Kaunas Tel.: +370 69 803 830 Fax: +370 37 797 705 e-mail:clarion@clarion.lt

MACEDONIA MTDE

Lerinska 55b Skopje 1000 Tel.: +389 2 2040618 Fax: +389 2 2040618 e-mail: dusica@on.net.mk

MALTA DOUBLESIN & ZAMMIT LTD.

53, Nicolo Isouard Street Sliema, SLM 2084 Tel.: +356 21 331294 Fax: +356 21 319576 e-mail: info@doublesinandzammit.com

NETHERLANDS CLARION EUROPA GmbH

Section "The Netherlands" Hessenring 19 - 21 D-64546 Mörfelden-Walldorf Germany Tel.: 0900-CLARION (2527466) Tel: +31(0) 622903751 Fax:+31(0) 847117203 e-mail: info@clarion.de

POLAND 2N-EVERPOL SP. Z.O.O.

ul. Puławska 403A 02-801 Warsaw Tel.: +48 22 331 99 59 Fax: +48 22 331 99 50 e-mail: info@clarion.com.pl

ROUMANIA Alarm Service 96 IMPEX SRL

Str. Drumul Sarii Nr. 98 , Sector 6 060157 Bucuresti Tel./Fax. 021.411.00.50 e-mail: office@alarmservice.ro

SLOVAKIA AMTEX spol s.r.o.

Hradská 63 Bratislava 821 07 Tel.: +421 245 248 365 Fax: +421 245 523 038 e-mail: amtex@clarion.sk

SLOVENIA AITrade D.O.O.

Tabor 24A 5294 Dornberk Tel.: +386 (0)41 548 520 Tel.: +386 (0)51 883 882 Fax.: + 386 (0)5 99 57 669 email: altrade3@gmail.com

TURKEY Mesut Grup Sanayi Ticaret Limited Şirketi

Çakmak Mahallesi Gedik sokak no: 15/A Úmraniye / Türkiye Tel: 212 594 61 42 Fax: 212 594 61 43 e-mail: info@mesutqrup.com.tr

UNITED KINGDOM CLARION (GB) Ltd

Unit 5C Interface Business Park Bincknoll Lane Royal Wootton Bassett Wittshire SN4 8QQ Tel.: +44 1793 859560 Fax: +44 1793 859598 e-mail: amsales@clarion.co.uk

Clarion Europe S.A.S.

244 rue du Pré à Varois, 54670 Custines, France Tel.: +33 3 83 49 44 00 Fax: +33 3 83 24 17 62 e-mail: info@clarion.fr

Clarion

www.clarion.com



