Clarion: a global brand that puts your future first

Clarion was founded in 1940, and ever since developing Japan's first car radio in 1951, continues to actively develop new products, based on new technologies. Born in Japan, and widely adopted by automobile manufacturers all over the world, Clarion is an unstoppable source of innovation, inspired by the current and future needs of drivers like you. Clarion specialises in in-vehicle equipment and systems, so our attention is tightly focused on your car and lifestyle. That is why we are able to offer maximum value for your investment. From the latest innovations to the unchanging pursuit of sound excellence, you can count on Clarion to deliver satisfaction to your drive.

- "Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance. iPhone, iPod, Siri and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademarks of Apple Inc.
- Android[™] is a trademark of Google Inc.
- Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories.
- The trademark and the Bluetooth® logo are owned by the Bluetooth® SIG, Inc. and any utilization of these trademarks by Clarion is carried out under license
- DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license. DivX Certified® to play DivX® video, including premium content. Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274
- microSDHC Logo is a trademark of SD-3C, LLC.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

- Specification and design are subject to change without notice.
- Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors.
- All units in this catalog are primarily intended for installation in passenger vehicles. Use in commercial trucks, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended.
- It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file.
- There's no guarantee that all units in this catalogue play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW.
- Please see the Clarion website for iPod models that can be connected.
- Clarion's navigation systems should not be used as a substitute for your own judgement. Any route suggestions made by a Clarion navigation system should never override any local traffic regulations, your own judgement, and/ or knowledge of safe driving practices. Disregard route suggestions by the navigation system if such suggestions would: cause you to perform a hazardous or illegal maneuver, place you in a hazardous situation, or route you into an area vou consider unsafe.
- The advice provided by the navigation system is to be regarded only as a suggestion(s). There may be situations where the navigation system displays the vehicle's location incorrectly, fails to suggest the shortest course, and/or fails to direct you to your desired destination. In such situations, rely on your own driving judgement, taking into account current driving conditions.
- Do not use the navigation system to route you to emergency services. The database does not contain a complete listing of locations of emergency service providers such as police, fire stations, hospitals and clinics. Please use your judgement and your ability to ask for directions in these situations.
- The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment.
- Smartphone compatibility may vary by model and operating system.
- LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective.

WARNING: Driver is prohibited by law from viewing a video signal on any in-dash monitor while the vehicle is in motion



Clarion (Malaysia) Sdn., Bhd. Phase 3, Free Industrial Zone, 11900 Bayan Lepas, Penang, Malaysia Office Phone: +60-4-6148-400, Office Fax: +60-4-6438-108

Clarion (H.K.) Industries Co., Ltd.

Unit 712, 7 F, Tower 1, Harbour Centre, 1 Hok Cheung Street, Hung Hom, Kowloon, Hong Kong Tel: (852) 2723-2088, Fax: (852) 2723-1991

Clarion Co., Ltd.

7-2 Shintoshin, Chuo-ku, Saitama-shi, Saitama, 330-0081, Japan Tel: (81)48-601-3700, Fax: (81)48-601-3701

Distributor

Clarion

2015

Catalog for Car Audio, Multimedia and Navigation



Clarion AX1: Customisable Android based connected car stereo

♠ ♠ ↓ ↑ * PTYREG AF ▲ 6:27

Clarion AX1

2-DIN microSD / USB / Capacitive touch screen / Built-in offline Navigation / Bluetooth® compatible / 6.5-inch WVGA **TFT LCD**



For more information about Clarion AX1





MP3/WMA/AAC USB

Next generation connected in-car entertainment

Clarion AX1 is an Android based Audio-Video-Navigation source unit with OEM specifications. One of the AX1's key feature is it's a truly connected system. It has a customisable user interface within a 6.5 inch capacitive multi-touch screen.



The AX1 plays music (MP3. AAC, WMA, OGG, WAV, FLAC) and



hands-free calling and based OS for in-car stereo music streaming.



skuffle play

check mail

voice guidance

- Tune in to local or Internet radio stations
- Buy and sync music from Infogo, an online music store serving up to 25 million DRM-free songs
- · Comes with built-in offline navigation

NX405A

2-DIN multimedia station with built-in

navigation & 6-inch touch panel control

• Built-in WiFi, which allows users to always remain connected even when on the go application updates can be downloaded straight to the AX1 so that the AX1 experience is always updated and fresh

Let your voice lead the way



☐ iPod ☐ iPhone


Bluetooth HDMI USB 728 Color Reg



about NX405A







Compatible iPhone models: iPhone 6 / iPhone 6 Plus / iPhone 5s / iPhone 5c / iPhone 5 / iPhone 4s



User interface offers superior visibility and intuitive operation

Full-featured navigation and multimedia system









NX404A

2-DIN DVD multimedia station with built-in navigation & 6.2-inch touch panel control



For more

MULTIMEDIA











NX403AW

Wide DVD multimedia station with 6.5-inch touch panel & built-in navigation




For more information about NX403AW









Visual entertainment

VZ402A DVD multimedia station with 7-inch touch panel control, USB and

at your fingertips









GPS navigation with rich graphics and superior functionality (NX404A / NX403AW)

..... Count on GPS accuracy and the efficient Clarion mobile map engine to guide you to your destination. Navigation data is pre-stored on the internal flash memory (4GB) for quick access. 3D-rendered graphics include landmarks, which enables you to have an intuitively familiar view of the route which you're on.







Enjoyment of apps with big screen







connecting cable

For NX405A/NX404A/NX403AW/

VX404A/VZ402A/CZ703A





Rear vision camera

Made for

DIVX. WIND STREET STREE





VA700 Video distribution

Accessories



additional single

NX404A/VX404A CCA771
Micro HDMI cable

CCA802 HDMI™ cable

For NX405A/

(Type A to Type A

(Type A to Type D) For NX405A/ NX404A/VX404A

Infrared remote control
• For CZ703A/CZ205A

CCA748

CX215A/FZ003A

iPod® / iPhone® video connecting cable • For CZ315A/CZ215A/CZ205A/

RCXOD5 Infrared remote control • For NX405A/NX404A/

RCX009 control

RCB176

Infrared remote control

For CZ315A/CZ215A/

CCA755
USB extension cable • For NX405A/NX404A/ NX403AW/VX404A/VZ402A/ CZ703A/CZ315A/CZ215A/ CZ205A/CX215A

> RCB199 External microphone
> • For VZ402A/CZ703A/CZ315A

	■ MEDIA	١								■ CONNE	CTION									■ NAVIGATION	■ AUDI	0				- 1	■ GENE	RAL					
FEATURES	DIVX.	VIDEO	OSETAL AUGO		MP3/WMA	MP3/WMA/AAC	MPEG4	DOLBY	FM/AM	₿ Bluetooth*	Parrot noc window	Made for iPhone	Siri Eyes Free	HDMI.	USB	2 ZONE	SA/ech	Rear Vision Camera	AUX	Built-in navigation Storage	Subwoofer level control	M-BASSEX	24bit	BeatE0	LPFXHPF	\\LPF	MOS-FET 45W×4 ≋	45W×4	40W×4	25W×4	728 color Key	TOUCH PANEL	OEM Restato readig
Clarion AX1	_	_	-	•	_	•	•	_	18 FM, 6 AM	Built-in*1	-	•	_	Output	Dual	•	•	•*5	-	● *7	_	-	_	-	-	-	-	-	-	•	-	•	*10
NX405A	_	•	•	_	•	_	•	•	18 FM, 6 AM	Built-in*1	_	•	•	Input	•	•	•	● *5	•*6	● *7	•	•	_	•	● *8	-	_	•	_	-	•	•	● *10
NX404A	•	•	•	_	_	•	•	•	18 FM, 6 AM	Built-in*1	-	•	_	Input	Dual	•	•	•*5	● *6	● *7	•	•	_	•	● *8	-	-	•	-	-	•	•	● *10
NX403AW	•	•	•	_	_	•	•	•	18 FM, 6 AM	Built-in*1	•	•	_	_	•	_	_	•*5	•*6	● *7	•	•	•	•	● *8	-	•	-	_	-	-	•	● *10
VX404A	•	•	•	•	_	•	•	•	18 FM, 6 AM	Built-in*1	-	•	_	Input	•	•	•	•*5	•*6	-	•	•	_	•	● *8	-	-	•	-	-	•	•	*10
VZ402A	•	•	•	_	•	_	_	•	18 FM, 6 AM	Built-in*1	•	•	_	_	•	_	•	● *5	● *6	_	•		•	_	_	● *9	-	_	•		_	•	● *10

Seamless connectivity to your media

CZ703A

CD/USB/MP3/WMA/Bluetooth® receiver 728 variable colour illumination **Time Alignment & crossover**







Dual USB front and rear connectors



terminal in front and another at the rear, it's easy to connect a variety of sources. In addition to iPod® and iPhone®, you can play music files stored on a USB memory device. Music CDs and MP3/WMA discs are supported. Together with advanced audio features like Beat EQ Plus and Time Alignment, high quality sound is all that you'll hear.



Symmetrical design combines usability and looks



A prominent volume knob positioned in the center is flanked on both sides with logically clustered control buttons for easy operation from both the driver's and passenger's sides. The large display area and clear illumination contribute to superior usability during the day or night.

13-segment 8-digits x 2-line LCD display

Let your musical media converge at the center



The white colour illumination display of the CX215A features 2 lines with 8 characters each, rendered in 13 segment for easy reading. Displayed information can be understood at a glance, during the day or at night

CX215A 2-DIN CD/USB/MP3/WMA



CX215A



receiver



Corresponding to the steering remote control



Corresponding to the steering remote control that can be operated safely hand the audio function even during operation. Audio or sound volume, skip back of the song, the switching done at hand.

Brilliantly designed to integrate entertainment and communication













😮 Bluetooth 🗼 Intelligent Tune

Cool entertainment capabilities with a dash of passion



Clarion's original sound technology was developed

to turn the car interior into an excellent listening

Restores compressed audio media such as MP3 or WMA

Virtual Bass is a technology based on acousticopsychology, in which harmonic elements of low bass sound are added to the

signal to reinforce the low range the speaker cannot physically

enabling a more enriched reproduction sound quality.



presence and dynamism that approaches the master source.

Dynamic Beat Enhancer



🔥 Intelligent Tune

7-band graphic equaliser

Equipped with a full-featured 7-band graphic equaliser, you will enjoy superior control over the audio spectrum with frequency adjustments in the 60Hz to 16kHz range over seven bands. This gives you the power to get the most While both ends of the dynamic range are cropped during the encoding process of compressed audio, this technology synthesises the low-end and high-end dynamic range for sound reproduction with the sound output to your musical taste

Enjoy your music, any way you like it















Easy access to your music files











Front USB and AUX terminals for connection to a variety of audio devices and sources. iPod® and iPhone® are not supported

	■ MEDIA				■ CONNECTION					■ AUDIO								■ GENERAL											
	DIGITAL AUDIO	GERAL AUDIO	MP3/WMA	FM/AM	8 Bluetooth	Parrot raise window	Made for Pod PiPhone	USB	SV/6ch	2V/4ch	SA\\5ch	FRONT AUX Input	Å Intelligent Tune	Subwoofer level control	M-BASSEX	(G-EQ)	Beat EQ	BeatE0		X-over	LPFXHPF	\\LPF	High Visibility LCD	Integral Rotary Volume	MOS-FET 50W×4 ≋	MOS-FET 45W×4 ≋	50 W×4	45W×4	Z28c
CZ703A	•	_	•	18FM, 6AM	Built-in*1	•	USB (Audio/Video)*2	Rear/Front	● *4	_	_	•	_	•	_	_	● *7	_	•	•	● *9	_	● *11	•	•	_	_	_	•
CZ315A	_	•	•	18FM, 12AM	Built-in*1	_	USB (Audio)	Front*3	_	● *5	_	•	•	•	_	7 -band	_	_	_	_	•	_	● *10	•	_	_	•	_	_
CZ215A	_	•	•	18FM, 12AM	<u> </u>	_	USB (Audio)	Front*3	_	● *5	_	•	•	•	_	7 -band	_	_	_	_	_	•	*10	•	_	_	•	_	_
CX215A	_	•	•	18FM, 6AM	_	_	USB (Audio)	Front*3	_	● *5	_	•	_	•	•	_	_	_	_	_	•	_	● *12	•	_	_	_	•	_
CZ205A	•	_	•	18FM, 6AM	_	_	_	Front*3	_	● *5	_	•	_	•	•	_	_	● *8	_	_	_	•	*10	•	_	•	_	-	_
			I	1	1	1	1	1	I	I	1	1	1	I	1	I	1	ı I		1	1				I	I	1 1		

*15

FZ003A

Intelligent Tune

environment.

Virtual Bass

reproduce.

Sound Restorer

DCP

Harness the power of our expertise









XH5210

340 W 2/1-channel







850 W mono class GH power





570 W mono

power amplifier

680 W 4/3/2-channel

High-performance reproduction of super lows



XR2420

480 W 4/3/2-channel power



4-ohm voice coil subwoofer



clarion		
	ctatos	etariou

Amplifiers	Maximum Power Output	4-Ohm	2-Ohm	Туре	Number of Channels	Dimensions (W × L × H)
XH7110	850W	450W × 1	850W × 1	Class GH	Mono	407 × 230 × 67 mm
XH5410	680W	90W × 4	160W × 4	Class AB	4/3/2	373 × 230 × 67 mm
XH5210	320W	90W × 2	160W × 2	Class AB	2/1	316 × 230 × 67 mm
XR2120	570W	280W×1	400W × 1	Class AB	2-chanels	354 × 216 × 55 mm
XR2420	480W	60W × 4	60W × 4	Class AB	4/3/2	354 × 216 × 55 mm

XR2220 280W 65W × 2 95W × 2 Class AB 2/1 294 × 216 × 55 mm



Subwoofers	Size	Maximum Power Handling	High Strength Stamped Steel	Dual Voice Coil	Dimensions (W × H × D)				
WQ3010D	30cm (12")	1500W	•	•	297 × 297 × 156 mm				
WQ2510D	25cm (10")	1500W	•	•	248 × 248 × 139 mm				

Cutting-edge technology speakers



Component systems

SRP1723S 16.5 CM (6-1/2") 2-way

350 W Max.





information about SRP1723S



300 W Max. SRP1323S

13 CM (5-1/4") 2-way component





Multiaxial 5, 4-way



SRG6953R

15 CM × 23 CM (6" × 9")



information about SRG6953R



SRG6943R 15 CM × 23 CM (6" × 9")



For more information about SRG6943R

Multiaxial 3-way



450 W Max.

SRG6933R

15 CM × 23 CM (6" × 9") multiaxial 3-way

For more information about SRG6933R

Coaxial 2-way



280 W Max. SRG1723R

16.5 CM (6-1/2") coaxial 2-way



For more information about SRG1723R



SRG1323R

13 CM (5-1/4") coaxial 2-way



For more information about SRG1323R





10 CM (4") coaxial 2-way

Balanced-drive tweeter

200 W Max.









06 www.clarion.com www.clarion.com 07